



PRODUCT CERTIFICATE

Certificate No VTT-C-8608-12

ACTIS SA

Avenue de Catalogne
11300 Limoux, France

produce

Sylvactis 110 SD wood fibre thermal insulation boards

in the factory

ZI de Caraud, Route de Lavelanet, 09500 La Bastide de Bousinac

The thermal insulation products are certified by VTT Expert Services Ltd according to the CEN Keymark Scheme Rules for thermal insulation products.

The voluntary certification performed by VTT Expert Services Ltd includes audit testing of products and inspection and assessment of factory production control. The certified product has following properties:

Product name	Thickness range, mm	Thermal conductivity $\lambda_{\text{Declared}}$ W/mK	Designation code	Fire class Euroclass
Sylvactis 110 SD	40 – 120	0,039	WF-EN13171-T3-CS(10)40	E

Espoo June 15, 2012

Lina Markelin-Rantala
Team Manager

Liisa Rautiainen
Assessment Manager
VTT EXPERT SERVICES OY
PL 1001, 02044 VTT
Phone. +358 20 722 111, Faxi +358 20 722 7003

PRODUCT CERTIFICATE

VTT-C-8608-12

Other conditions:

Where reference is made in this certificate to any regulations, publications, standards or other documents, it shall be construed as a reference to such publication in the form of which it is in force at the date of this certificate.

The manufacturer is responsible for the quality and continuous quality control of the product. In granting this certificate, VTT Expert Services Ltd does not accept responsibility to any person or body for any loss or damage incurred in respect of personal injury arising as direct or indirect result of the use of this product.

The use of VTT Expert Services Ltd's name in advertising or the distribution of a partly copied certificate is allowed only with permission from VTT Expert Services Ltd in writing.